UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/781,963	02/19/2004	Amar A. Patel	29617/PM505	4424
	7590 12/26/2006 GERSTEIN & BORUN	EXAMINER		
233 S. WACKER DRIVE, SUITE 6300			DERAKSHANI, PHILIPPE	
SEARS TOWER CHICAGO, IL 60606			ART UNIT	PAPER NUMBER
,	•	,	3754	
SHORTENED STATUTORY	V DEDIOD OF BESDONSE	MAIL DATE	. Del IVER	VMODE
3 MON		12/26/2006	DELIVERY MODE	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		1/1	٠
	Application No.	Applicant(s)	_
0.00	10/781,963	PATEL ET AL.	
Office Action Summary	Examiner	Art Unit	
	PHILIPPE S. DERAKSHANI	3754	
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPI WHICHEVER IS LONGER, FROM THE MAILING [- Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period. Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION (136(a). In no event, however, may a reply be still apply and will expire SIX (6) MONTHS from the cause the application to become ABANDON	DN. timely filed im the mailing date of this communication. NED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 07 (October 2006.	·	
2a) ☐ This action is FINAL . 2b) ☑ Thi	s action is non-final.		
3) Since this application is in condition for allowed closed in accordance with the practice under	•		
Disposition of Claims			
4) ☐ Claim(s) 1-33 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) 18-33 is/are allowed. 6) ☐ Claim(s) 1-3 and 9-17 is/are rejected. 7) ☐ Claim(s) 4-8 is/are objected to. 8) ☐ Claim(s) are subject to restriction and/	awn from consideration.		
Application Papers			
9) The specification is objected to by the Examin			
10) The drawing(s) filed on is/are: a) ac			
Applicant may not request that any objection to the		• •	
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E		•	
Priority under 35 U.S.C. § 119			
 12) ☐ Acknowledgment is made of a claim for foreig a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority document 		a)-(d) or (f).	
2. Certified copies of the priority documen		ition No	
3. Copies of the certified copies of the price	• •	· · · · · · · · · · · · · · · · · · ·	
application from the International Burea			
* See the attached detailed Office action for a lis	t of the certified copies not receive	red.	
Attachment(s)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 5/20/04, 7/2/04, 3/21/05.	4) Interview Summal Paper No(s)/Mail 5) Notice of Informal 6) Other:	Date	

Art Unit: 3754

DETAILED ACTION

Drawings

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: Reference numeral 32 on page 4, paragraph 17 is not shown in the drawings. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, and 9-17 are rejected under 35 U.S.C. 102(b) as being anticpated by Summer 1,788,212.

Summer shows a fluid dispenser comprising a body 15, reservoir 21, tip 17 and cap 18.

Allowable Subject Matter

Claims 4-8 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 18-33 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PHILIPPE S. DERAKSHANI whose telephone number is 571-272-4925. The examiner can normally be reached on 8 hour days.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin P. Shaver can be reached on (571) 272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/781,963

Art Unit: 3754

HILIPPE S DERAKSHANI

Page 4

Primary Examiner Art Unit 3754

PD 12/18/06